




Swing like a monkey (or at least like a kid)! Cre8Play Themed Swings are a new look to an old classic. You can even add several single post swing assemblies together.




**Single Post Swing
Tree Themed
1000126**

L: 12'-3" x W: 0'-10" x H: 8'-6"
1,500 LBS



**Add-A-Bay
Tree Themed
1000130**

L: 12'-0" x W: 0'-10" x H: 8'-6"
950 LBS



**Single Post Swing
Baseball Themed
1000132**

L: 12'-3" x W: 0'-10" x H: 8'-6"
1,500 LBS



**Add-A-Bay
Baseball Themed
1000133**

L: 12'-0" x W: 0'-10" x H: 8'-6"
950 LBS


~ Dimensions and weights are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 2-12

All images and concepts are Copyright © 2016, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

Revised 6/24/19

5121 Winnetka Ave N • Suite 108
New Hope, MN 55428
612.670.8195
info@cre8play.com
cre8play.com



Installation Instructions




Included Items:

Item	Description	Quantity
Single Post Swing	Play Equipment	2-Posts, 1-Top Rail
Themed Post Sleeve	Theming	2
U-Bolt	Installation Aid	2

Installation Instructions



Typical Component Footing Detail
Check local soil conditions.
(Not to Scale)



~ All dimensions are approximate ~

User Group Age: 2-12

Last Revised 6/24/19

5121 Winnetka Ave N • Suite 108

New Hope, MN 55428

612.670.8195

info@cre8play.com

cre8play.com

Installation Instructions

NOTE: Read installation instructions thoroughly before starting installation process.

Step 1: Lay out area and prepare site for install. Concrete must be installed over a solid, level base. Check local soil condition and codes. See installation instructions for minimum use zone requirements to ensure proper spacing and adequate surfacing area. Excavate appropriate footer size for your installation.


Step 2: Refer to typical 18" footing detail in these installation instructions.

Step 3: Place the Single Post Swing support posts in a horizontal position. Slide the themed post sleeve over the support post within 1" of the cross bar stop ring. Using clear silicone adhesive/caulk, put a 1/4" bead all the way around the support post against the themed post sleeve. Slide the themed post sleeve up 1" over the silicone so the themed post sleeve is touching the cross bar stop ring. Install the U-bolt on the support post at the base of the themed sleeve (this will hold the themed sleeve in place while setting the post assembly).

Step 4: Assemble top rail and support posts. Lift the assembly into excavated footings, bracing when level and plumb. Pour concrete footings for the swing. This concrete should be flush with the ground level. Allow time for the concrete to completely cure before continuing.

Step 5: Remove temporary bracing. Once the posts are set, seal the top of the themed sleeve to the support post with silicone caulk/adhesive.

Step 6: Assemble belt and/or bucket seats, chains, and clamps, then install onto top rail per manufacturer's instructions. Refer to the surfacing manufacturer for installation of an approved impact attenuating play surface around the swings, the minimum shown on the Single Post Swing installation instructions.




~ All dimensions are approximate ~

User Group Age: 2-12


Last Revised 6/24/19

Installation Instructions



Product: 1000130
Single Post Swing-Tree Themed
Add-a-Bay

Product: 1000126
Single Post Swing-Tree Themed



Product: 1000130
Single Post Swing-Tree Themed
Add-a-Bay

Product: 1000126
Single Post Swing-Tree Themed

NOTES PRIOR TO CONSTRUCTION:

- Use appropriate equipment to lift and move the play equipment.
- Check local codes and requirements prior to digging or installing any equipment.

! WARNING

INSTALLATION OVER A HARD SURFACE SUCH AS CONCRETE, ASPHALT, OR PACKED EARTH MAY RESULT IN SERIOUS INJURY OR DEATH FROM FALLS.

THE REMOVAL OF HELMETS, HOODS, DRAWSTRINGS, AND ACCESSORIES AROUND THE NECK IS RECOMMENDED TO PREVENT ENTANGLEMENT AND STRANGULATION.

PLAY EQUIPMENT AND/OR SURFACING MAY BE HOT.

~ All dimensions are approximate ~

User Group Age: 2-12

Last Revised 6/24/19

5121 Winnetka Ave N • Suite 108


New Hope, MN 55428

612.670.8195

info@cre8play.com


cre8play.com

Installation Instructions



Product: 1000133
Single Post Swing-Baseball
Themed

Product: 1000132
Single Post Swing-Baseball
Themed



Product: 1000133
Single Post Swing-Baseball
Themed

Product: 1000132
Single Post Swing-Baseball
Themed

NOTES PRIOR TO CONSTRUCTION:

- Use appropriate equipment to lift and move the play equipment.
- Check local codes and requirements prior to digging or installing any equipment.

! WARNING

INSTALLATION OVER A HARD SURFACE SUCH AS CONCRETE, ASPHALT, OR PACKED EARTH MAY RESULT IN SERIOUS INJURY OR DEATH FROM FALLS.

THE REMOVAL OF HELMETS, HOODS, DRAWSTRINGS, AND ACCESSORIES AROUND THE NECK IS RECOMMENDED TO PREVENT ENTANGLEMENT AND STRANGULATION.

PLAY EQUIPMENT AND/OR SURFACING MAY BE HOT.

~ All dimensions are approximate ~

User Group Age: 2-12

Last Revised 6/24/19

5121 Winnetka Ave N • Suite 108

New Hope, MN 55428

612.670.8195

info@cre8play.com

cre8play.com